

Universal Remote Control







Please read the instruction manual carefully before using the product

1. Product specification



Product name	Universal remote control
Power specification	DC 5V/1A
Carrier frequency	38KHz
Temperature detection range	0°C - 50°C
Humidity detection range	5% - 85% RH (No condensation)
Wireless connection	Wifi 2.4G (IEEE802.11b/g /n)


2. Packing list

- Universal remote control x1
- Power cable x1
- Instruction manual x1

3. Product description



Universal remote control supports the control of infrared remote control equipments, combined with other equipments to design intelligent application scenarios.



4. Preparation for use



Power-on the device and ensure that the mobile phone has been connected to the Wifi network in the 2.4GHz band.



4. Preparation for use



- Download and open the APP

In the App Store, search for "Hafele Smart Living" or scan the QR code on the manual to download and install the smart APP.

If you are downloading this App for the first time, please tap the "Sign up" button to register your account. If you are already have an account, click the "Login" button



Hafele Smart Living

5. Set up and Pairing

Open "Hafele Smart Living" APP, on the Home page select "Add device" button or the 😒 in the upper right corner of the page. At Hafele Devices menu, select "Universal remote control"

Input Wifi password of router, and select "Next" button.

22:33 4		22.27 <			-440	22.314	at V Co
×	0	<	Add Manually	Aito Scan	8	Canoli	
		Parkan Devices Princes Appliances	Instituted	Drust Coress (No.4)	Lineal Record Linea	Select 2.4 CHz WH and an array and a select 2.4 CHz WH and a select pass of the select pass of the select pass solution of the select pass sol	vard.
		Lighting Security B-Services	F.	Pathal (1995) Filter	Statute Seller	Continues roubler and	ing method
Allbrox				8	1	× VERI - BOAr	
			Constraints Capitol	ikolor konena Dijkrej	Serpenders and Rocaldy Gener Clubed	✓ WHEI - 2.4Ghz	**0
			in Interiorate Sales	Findem Notices Dataset	-		
			iiii Multi faretar Ottorey Ottore	Lanca Antipac	i.	♥ Notestanting A Parried	*
<u>*</u>	e.		oranaes jarij	Series Series Series		Not	

HXFELE

5. Set up and Pairing



Make sure the indicator light is flashing at this step and tick on "Confirm the indicator is blinking rapidly", then select "Next" button.

Note:

 For Universal remote control, please choose EZ Mode on the upper right corner of the confirm indicator blinking page, which will make the connection easier.
 Hold the reset button aver 5s until the indication libuh flashes.



5. Set up and Pairing



Once the initialize the device has been completed, press "Done" button to finish. Now you are able to find the device on the Home page and start adding infrared remote control that you want.

